

I. AMENDMENTS

Amendments to the Claims:

This listings of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1. (Previously presented) A security screen adapted to be attached to a front seat of a vehicle, the seat including a base, backrest, at least one rear surface, at least first and second frames and headrest, said security screen including:

a lower rear planar section and an adjoining upper rear planar section, the plane of the upper section being different to the lower section;

said lower rear section having two opposing side barriers extending forwardly from an upper end of said lower rear section;

said upper rear section having two opposing side barriers extending forwardly above said lower rear section side barriers; and

at least first attachment means adapted to removable and securably attach said security screen to said seat.

Claim 2. (Previously presented) The security screen of claim 1, wherein said upper section extends upwardly at a greater vertical angle than said lower rear section.

Claim 3. (Currently amended) ~~The security screen of claim 1,~~ A security screen adapted to be attached to a front seat of a vehicle, the seat including a base, backrest, at least one rear surface, at least first and second frames and headrest, said security screen including:

a lower rear planar section and an adjoining upper rear planar section, the plane of the upper section being different to the lower section;

said lower rear section having two opposing side barriers extending forwardly from an upper end of said lower rear section;

said upper rear section having two opposing side barriers extending forwardly above said lower rear section side barriers, ~~wherein said~~ at least a portion of ~~[[the]]~~ said upper and lower

~~section side barriers overlap~~ overlapping at least a portion of said lower section side barriers, said security screen further including:

securing means to secure said overlapping side barriers to each other; and
at least first attachment means adapted to removable and securably attach said security screen to said seat.

Claim 4. (Currently amended) ~~The security screen of claim 1,~~ A security screen adapted to be attached to a front seat of a vehicle, the seat including a base, backrest, at least one rear surface, at least first and second frames and headrest, said security screen including:

a lower rear planar section and an adjoining upper rear planar section, the plane of the upper section being different to the lower section;

said lower rear section having two opposing side barriers extending forwardly from an upper end of said lower rear section;

said upper rear section having two opposing side barriers extending forwardly above said lower rear section side barriers; and

at least first attachment means adapted to removable and securably attach said security screen to ~~wherein said security screen is attached to the rear of said seat~~ backrest, whereby said lower rear panel planar section makes contact with ~~[[a]]~~ said rear surface of said seat.

Claim 5. (Previously presented) The security screen of claim 1, wherein said security screen, when attached to said seat, does not restrict the movement of said seat.

Claim 6. (Previously presented) The security screen of claim 1, wherein said upper rear section extends to just below the ceiling of said vehicle.

Claim 7. (Previously presented) The security screen of claim 1, wherein said first attachment means includes a C-section member adapted to engage said headrest.

Claim 8. (Previously presented) The security screen of claim 7, wherein said C-section member includes a tether adapted to secure said C-section member to said headrest.

Claim 9. (Currently amended) ~~The security screen of claim 1,~~ A security screen adapted to be attached to a front seat of a vehicle, the seat including a base, backrest, at least one rear surface, at least first and second frames and headrest, said security screen including:

a lower rear planar section and an adjoining upper rear planar section, the plane of the upper section being different to the lower section;

said lower rear section having two opposing side barriers extending forwardly from an upper end of said lower rear section;

said upper rear section having two opposing side barriers extending forwardly above said lower rear section side barriers;

at least first attachment means adapted to removably and securably attach said security screen to said seat; and

~~wherein said security screen includes~~ second attachment means adapted to engage said first frame of said seat, said first frame connecting said base and ~~[[rear]]~~ backrest portions of said seat.

Claim 10. (Previously presented) The security screen of claim 1, wherein said security screen includes third attachment means adapted to engage said second frame of said seat, said second frame being located below said seat.

Claim 11. (Previously presented) The security screen of claim 1, wherein said first attachment means includes a hook and tape connection.

Claim 12. (Previously presented) The security screen of claim 1, wherein said first attachment means includes a snap-fit connection.

Claim 13. (Previously presented) The security screen of claim 1, wherein said upper and lower rear side barriers extend different distances forward relative to a driver of said vehicle.

Claim 14. (Currently amended) ~~The security screen of claim 9,~~ A security screen adapted to be attached to a front seat of a vehicle, the seat including a base, backrest, at least one rear surface, at least first and second frames and headrest, said security screen including:

a lower rear planar section and an adjoining upper rear planar section, the plane of the upper section being different to the lower section;

said lower rear section having two opposing side barriers extending forwardly from an upper end of said lower rear section;

said upper rear section having two opposing side barriers extending forwardly above said lower rear section side barriers;

at least first attachment means adapted to removable and securably attach said security screen to said seat; and

second attachment means adapted to engage said first frame of said seat, said first frame connecting said base and backrest portions of said seat, wherein said second attachment means includes including a hook and tape connection.

Claim 15. (Currently amended) ~~The security screen of claim 9,~~ A security screen adapted to be attached to a front seat of a vehicle, the seat including a base, backrest, at least one rear surface, at least first and second frames and headrest, said security screen including:

a lower rear planar section and an adjoining upper rear planar section, the plane of the upper section being different to the lower section;

said lower rear section having two opposing side barriers extending forwardly from an upper end of said lower rear section;

said upper rear section having two opposing side barriers extending forwardly above said lower rear section side barriers;

at least first attachment means adapted to removable and securably attach said security screen to said seat; and

second attachment means adapted to engage said first frame of said seat, said first frame connecting said base and backrest portions of said seat, wherein said second attachment means includes including a snap fit connection.

Claim 16. (Previously presented) The security screen of claim 10, wherein said third attachment means includes a hook and tape connection.

Claim 17. (Previously presented) The security screen of claim 10, wherein said third attachment means includes a snap fit connection.